

1 P and NP

1.1 Intro

Problem = language

String = instance of the problem

Decidable = a problem is decidable, if there is an algorithm for it

Algorithm = a TM that halts on all inputs

Recursive languages: set of decidable problems

Time complexity $T(n)$ ("to have a running time of $T(n)$ "): given a TM M , and an input w , M halts after making at most $T(n)$ moves

Problems solvable in Polynomial time (P):

- is $w \in L(G)$?
- Path from x to y in graph $G = (V, E)$
- ... (and many more)

Problems solvable in Nondeterministic Polynomial time (NP):

- Knapsack problem
- Graph coloring
- Traveling salesman problem
- ... (it's a long list!)

1.2 Boolean expressions

- Variables (0, 1)
- Operators (\wedge, \vee, \neg)

$$x \wedge \neg(y \vee z)$$

$$x \wedge \neg(y + z)$$

Satisfiability problem (SAT): give a truth assignment that satisfies a BE.

Cooke: SAT is NP-complete

CSAT: given a boolean expression in CNF, is it satisfiable?

1.3 Normal forms

- Literal: variable or its negation ($x, \neg y$)
- Clause: OR / AND of two or more literals
- Conjunctive normal form (CNF): AND of clauses with OR-ed literals
- $(x \vee \neg y) \wedge (\neg x \vee z) \rightarrow (x + \bar{y})(\bar{x} + z)$
- k-CNF: each clause has exactly k literals

k-CNF: A CNF, where each clause has exactly k distinct literals.

k-SAT: Satisfiability problem of a k-CNF. A k-CNF is NP-complete when $k \geq 3$, but the 2-CNF is polynomially solvable.

1.4 Conversion from BE to CNF

There are two main ways to do it:

1. Use the reduction algorithm from SAT to CSAT.
 - (a) Push \neg below \vee, \wedge
 - i. $\neg(E \wedge F) \rightarrow \neg E \vee \neg F$
 - ii. $\neg(E \vee F) \rightarrow \neg E \wedge \neg F$
 - iii. $\neg(\neg E) \rightarrow E$
 - (b) Write the expression as a product of clauses by introducing new variables.
2. Use a truth table to find falsifying assignments.

1.5 Independent Set and Vertex Cover

Independent Set (IS): Let $G = (V, E)$ be an undirected graph. We say that $I \subset V$ is an independent set, if no two nodes of I are connected by any edge of E . An IS is *maximal*, if you cannot find a larger IS for the same graph.

Vertex Cover (VS) (alternatively: Node Cover): Let $G = (V, E)$ be an undirected graph. We say that $I \subset V$ is a vertex cover, if each edge $e \in E$ has at least one of its endpoints in I . A VC is *minimal*, if you cannot find a VC with fewer nodes for the same graph.